



Indoor optional antennas



4G/5G indoor antennas

ANT-5G-ST	4G & 5G antenna - Omni-directional stick	For 4G/5G products in the series
	- Frequency bands 698~5000MHz - Impedance: 50 Ω - Temperature (°C): -40 °C / +85 °C - Gain (dBi): ≤ 3.59 - Polarization: lineare - Size: 221 x 29.95 x 13.5 mm - Grado di protezione: IP55 - Connector: SMA male	- Imola - Imola LX - Imola E - Lipari - Levanto - TGR

2G/3G/4G indoor antennas

ANT-LTE 2,5	4G antenna with magnetic base + 2.5 m cable	For 2G/3G/4G products in the series
	- Frequency bands 698~960 MHz / 1710~2700MHz - Emission: omnidirectional - Temperature (°C): -40° / +80° - Gain (dBi): 2.14 - Polarization: vertical - Size: 100±25* $\varnothing$ 29±5 mm - Mounting: magnetic base $\varnothing$ 20 mm diameter - Cable: RG 174, 2500 mm long - Connector: SMA male	- Imola - Imola LX - Imola E - Lipari - Levanto - TGR

ANT-LTE10 / ANT-LTE 10E	4G antenna with magnetic base + 10 m cable	For 2G/3G/4G products in the series
	- Frequency bands 698~960 MHz / 1710~2700MHz - Emission: omnidirectional - Temperature (°C): -40° / +80° - Gain (dBi): 2.14 - Polarization: vertical - Size: 100±25* $\varnothing$ 29±5 mm - Mounting: magnetic base $\varnothing$ 20 mm diameter - Cable: RG 174, 10m long - Connector: SMA male	- Imola - Imola LX - Imola E - Lipari - Levanto - TGR
	KIT ANT-LTE-10E - Antenna ANT-LTE-10E - Kit for fixing on external supports to the router for indoor environments - Kit size (with antenna): 50 x 150 x 52 mm	

ANT-LP012.02	4G indoor/outdoor antenna	For 2G/3G/4G products in the series
	- Frequency bands: GSM 850: 824~894 MHz; GSM 1800: 1710~1880 MHz; GSM 1900: 1850~1990 MHz; UMTS: 1920~2170 MHz; LTE700: 746~793 MHz; LTE2700: 2500~2690 MHz; - Emission: omnidirectional - Temperature (°C): -40° / +80° - Protection grade: IP66 - Gain (dBi): 2.5 $\pm$ 1 698-960 MHz; 3.5 $\pm$ 1 1710-2690 MHz - Polarization: vertical - Size: $\varnothing$100 x 25 mm - foro di Mounting $\varnothing$16mm - Cable: RG316 lunghezza 1m - Connector: SMA male	- Imola - Imola LX - Imola E - Lipari - Levanto - TGR



Indoor 2G/3G/4G antennas

ANT-4-M	4G 1/4 dipole antenna (main) - stick	For 2G/3G/4G products in the series
	– Frequency bands 700~800 MHz, 824~960 MHz, 1710~2170 MHz, 2300~2700 MHz – Emission: omnidirectional – Temperature (°C): -40° / +85° – Polarization: lineare – Size: 24 x 13 x 193 mm – Connector: SMA male	– Levanto – Also compatible with – Imola – Imola LX – Imola E – Lipari – TGR
ANT-4D-S	4G 1/4 dipole antenna - stick	For 2G/3G/4G products in the series
	– Frequency bands 700~800 MHz, 824~960 MHz, 1710~2170 MHz, 2300~2700 MHz – Emission: omnidirectional – Temperature (°C): -40° / +85° – Polarization: lineare – Size: 24 x 13 x 193 mm – Connector: SMA male	– Levanto – Also compatible with – Imola – Imola LX – Imola E – Lipari – TGR
ANT147B	2G antenna with magnetic base + 3m cable	Per prodotti 2G delle serie
	– Frequency bands: 900~1800MHz – Temperature (°C): -40° / +85° – Size: 26,7 x 79 x 26,7 mm – Cable: RG174U da 3 m – Connector: SMA male	– Levanto 141

Tiesse

Innovation made in Italy®

Tiesse is a totally Italian company with more than 25 years of experience in the design, development and production of network equipment and IoT devices, suitable for use in mission-critical and industrial scenarios. Tiesse's most successful series, Imola, Lipari and Levanto, are innovative, competitive and certified, and are present in the networks of the major telecommunications operators, in the energy sector, large-scale distribution and vertical sectors, both in the Italian and foreign markets.

Further information on Tiesse solutions can be found on the company website www.tiesse.com.



Info: info@tiesse.com

Marketing & sales: marketing@tiesse.com

Tel. +39.0125.230544

www.tiesse.com



Disclaimer

The informations in this document may contain predictive statements including, without limitation, statements regarding the future financial and operating results, future product portfolio, new technology, etc. There are a number of factors that could cause actual results and developments to differ materially from those expressed or implied in the predictive statements. Therefore, such information is provided for reference purpose only and constitutes neither an offer nor an acceptance. Tiesse may change the informations at any time without notice.

© Copyright Tiesse S.p.A.

Any disclosure, derivation or reproduction of this document, even partial, is strictly prohibited without prior written authorization by Tiesse S.p.A.

Ver. ENG 131025

